

In re Patent Application of

Atty Dkt. 4442-7

C# M#

PAVLIK

TC/A.U.

3752

Serial No. 10/678,173

Examiner: Hwu

Filed: October 6, 2003

Date: July 11, 2005

Title: WATER MISTING SYSTEM AND METHOD

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.**

Fees are attached as calculated below:

Total effective claims after amendment 31 minus highest number
previously paid for 31 (at least 20) = 0 x \$50.00 \$0.00 (1202)/\$0.00 (2202) \$

Independent claims after amendment 5 minus highest number
previously paid for 5 (at least 3) = 0 x \$200.00 \$0.00 (1201)/\$0.00 (2201) \$

If proper multiple dependent claims now added for first time, (ignore improper); add
\$360.00 (1051)/\$180.00 (2051) \$

Petition is hereby made to extend the current due date so as to cover the filing date of this
paper and attachment(s)
One Month Extension \$120.00 (1251)/\$60.00 (2251)
Two Month Extensions \$450.00 (1252)/\$225.00 (2252)
Three Month Extensions \$1020.00 (1253)/\$510.00 (2253)
Four Month Extensions \$1590.00 (1254)/\$795.00 (2254) \$

Terminal disclaimer enclosed, add \$130.00 (1814)/\$65.00 (2814) \$

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee \$180.00 (1806) \$

Assignment Recording Fee \$40.00 (8021) \$

Other: \$

TOTAL FEE ENCLOSED \$ 0.00

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

901 North Glebe Road, 11th Floor
Arlington, Virginia 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
MJK:ljb

NIXON & VANDERHYE P.C.
By Atty: Michael J. Keenan, Reg. No. 32,106

Signature: 



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

PAVLIK

Atty. Ref.: 4442-7; Confirmation No. 2282

Appl. No. 10/678,173

TC/A.U. 3752

Filed: October 6, 2003

Examiner: Hwu

For: WATER MISTING SYSTEM AND METHOD

* * * * *

July 11, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO RESTRICTION REQUIREMENT

Responsive to the Official Action of June 10, 2005, applicant hereby elects to pursue claims directed toward Species I, i.e., Figures 1-8. Claims readable on the elected species include claims 1-5, 8-12, 14-19 and 25-30. Claims 1, 4, 5, 8, 9, 18 and 19 are generic.

The election is made without traverse, noting that in the event a generic claim is allowed, applicant will be entitled to consideration of claims to additional species which are written in independent form or otherwise include all the limitations of an allowed generic claim.

PAVLIK


Appl. No. 10/678,173

July 11, 2005

Early action on the merits is requested.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 
Michael J. Keenan
Reg. No. 32,106

MJK:ljb

901 North Glebe Road, 11th Floor

Arlington, VA 22203-1808

Telephone: (703) 816-4000

Facsimile: (703) 816-4100